

Version number 4

Revision: 28.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: IBS Foam Cleaner EasyClean (Spray)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Cleaning material/ Detergent
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: IBS Scherer GmbH Gewerbegebiet D-55599 GAU-BICKELHEIM DEUTSCHLAND www.ibs-scherer.de

• Further information obtainable from:

Tel.: +49 (0) 6701 / 93 83 - 0 Fax: +49 (0) 6701 / 93 83 -33 info@ibs-scherer.de • **1.4 Emergency telephone number:**

Giftnotruf Mainz Tel.: +49 (0) 6131 /19 24 0 (24 h erreichbar, Beratung in Deutsch u. Englisch)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

H229 Pressurised container: May burst if heated.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard statements

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

• Additional information:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

15.0 % by mass of the contents are flammable

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 2)



Version number 4

Revision: 28.05.2015

Trade name: IBS Foam Cleaner EasyClean (Spray)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-63-0	propan-2-ol	10-25%	
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336		
CAS: 75-28-5	isobutane	2.5-10%	
EINECS: 200-857-2	🚸 Flam. Gas 1, H220; Press. Gas C, H280		
CAS: 74-98-6	propane	2.5-10%	
EINECS: 200-827-9	🚸 Flam. Gas 1, H220; Press. Gas C, H280		
CAS: 1336-21-6	ammonia	≤ 2.5%	
	🚸 Skin Corr. 1B, H314; 🚸 Aquatic Acute 1, H400		
· Additional information: For the wording of the listed risk phrases refer to section 16.			

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints. Take affected persons into fresh air and keep quiet.

- After skin contact: Immediately wash with water and soap and rinse thoroughly. Take off immediately all contaminated clothing.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Foam Fire extin

Fire-extinguishing powder Carbon dioxide

- For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- Carbon monoxide (CO)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

(Contd. on page 3)

(Contd. of page 1)

GB



Version number 4

Revision: 28.05.2015

(Contd. of page 2)

Trade name: IBS Foam Cleaner EasyClean (Spray)

- Keep away from ignition sources.
- · 6.2 Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes.*
- \cdot Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

- 67-63-0 propan-2-ol
- WEL Short-term value: 1250 mg/m³, 500 ppm
- Long-term value: 999 mg/m³, 400 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.
- · Respiratory protection: Not necessary if room is well-ventilated.
- **Recommended filter device for short term use:** Filter AX
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Material of gloves
- Recommended thickness of the material: $\geq 0.7 \text{ mm}$ Butyl rubber, BR

(Contd. on page 4)



Version number 4

Revision: 28.05.2015

Trade name: IBS Foam Cleaner EasyClean (Spray)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical a	nd chemical properties			
• 9.1 Information on basic phy	sical and chemical properties			
· General Information				
· Appearance:				
Form:	Aerosol			
Colour:	White			
· Odour:	Fruit-like			
· Change in condition				
Melting point/Melting range: Undetermined.				
Boiling point/Boiling range	e: Not applicable, as aerosol.			
· Flash point:	Not applicable, as aerosol.			
· Ignition temperature:	>200 °C			
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.			
• Vapour pressure at 20 •C:	≈5 bar			
· Density at 20 •C:	0.90308 g/cm ³			
· Solubility in / Miscibility with	h and the second s			
water:	Fully miscible.			
· Solvent content:				
Organic solvents:	23.1 %			
VOC (EC)	208.4 g/l			
• 9.2 Other information	No further relevant information available.			

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Aldehyde
- Carbon monoxide and carbon dioxide

(Contd. on page 5)

(Contd. of page 3)



Version number 4

Revision: 28.05.2015

Trade name: IBS Foam Cleaner EasyClean (Spray)

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- · Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information: Vapours have narcotic effect.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 04* gases in pressure containers (including halons) containing dangerous substances

15 01 04 metallic packaging

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	

GB -



Version number 4

Revision: 28.05.2015

Trade name: IBS Foam Cleaner EasyClean (Spray)

	(Contd. of pag
· 14.3 Transport hazard class(es)	
·ADR	
2	
· Class	2 5F Gases.
· Label	2 57 Gases. 2.1
· IMDG, IATA	
· Class	2.1
· Label	2.1
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
• Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Gases.
· Danger code (Kemler):	-
· EMS Number:	F-D,S-U
• 14.7 Transport in bulk according to Anna	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·ADR	
· Limited quantities (LQ)	LQ2
· Transport category	2
· Tunnel restriction code	D
· UN ''Model Regulation'':	UN1950, AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

- Employment restrictions concerning pregnant and lactating women must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H314 Causes severe skin burns and eye damage.

(Contd. on page 7)

GB



Version number 4

Revision: 28.05.2015

Trade name: IBS Foam Cleaner EasyClean (Spray)

	(Contd. of page 6)
H319 Causes serious eye irritation.	
H336 May cause drowsiness or dizziness.	
H400 Very toxic to aquatic life.	
Department issuing MSDS: laboratory	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regul	ations Concerning the
International Transport of Dangerous Goods by Rail)	0
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concer	ning the International
Carriage of Dangerous Goods by Road)	·
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
Flam. Gas 1: Flammable gases, Hazard Category 1	
: Flammable aerosols, Hazard Category 3	
Press. Gas C: Gases under pressure: Compressed gas	
Flam. Liq. 2: Flammable liquids, Hazard Category 2	
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1	
	(